

./kamaki - Feature # 3490

| | | | |
|--|--|------------------|--------------------|
| Status: | Closed | Priority: | Medium |
| Author: | Stavros Sachtouris | Category: | kamaki |
| Created: | 03/22/2013 | Assignee: | Stavros Sachtouris |
| Updated: | 04/15/2013 | Due date: | 03/26/2013 |
| Subject: | In CLI, move non-plankton/glance commands from image to cyclades | | |
| Description | | | |
| Related issues: | | | |
| related to ./kamaki - Feature # 3512: Image register should return response h... | | Closed | 03/29/2013 |

History

#1 - 03/22/2013 05:28 pm - Stavros Sachtouris

Update:

All glance commands should be available as:
kamaki image-glance XXX

All compute commands should be available as:
kamaki image-compute XXX

The old **kamaki image** prefix will now be an alias for the kamaki-glance set

#2 - 04/02/2013 01:48 pm - Stavros Sachtouris

- Status changed from Assigned to Resolved
- % Done changed from 0 to 100

It has been implemented like this:

Plankton / Glance commands:

kamaki image <...>

Compute Image commands:

kamaki image compute <...>

This implementation demands less changes in kamaki cli, which is designed to support subcommands seperated with empty spaces, in an infinitely deep level

#3 - 04/15/2013 06:22 pm - Stavros Sachtouris

- Status changed from Resolved to Closed