

Synnefo - Feature # 539

Status:	Closed	Priority:	Medium
Author:	Constantinos Venetsanopoulos	Category:	Cyclades Images
Created:	05/13/2011	Assignee:	Nikos Skalkotos
Updated:	06/22/2011	Due date:	
Subject:	Remote desktop (RDP) σε windows images		
Description	Ο χρήστης πρέπει να μπορεί να έχει remote desktop σε vm που τρέχει windows		

History

#1 - 06/22/2011 01:19 pm - Nikos Skalkotos

- Status changed from Assigned to Closed
- Assignee changed from Constantinos Venetsanopoulos to Nikos Skalkotos
- % Done changed from 0 to 100

Το ζήτημα αυτό θεωρείται λήξαν. Όσον αφορά την ενεργοποίηση του Remote Desktop το sysprep σέβεται την επιλογή που υπήρχε στο σύστημα από το οποίο εξάχθηκε το image. Έτσι από το Windows Image εξαρτάται αν το καινούριο instance θα έχει rdp.

Ένας άλλος τρόπος για την ενεργοποίηση του rdp είναι μέσα από το Unattend.xml. Πιο συγκεκριμένα, η χρήση του δίνει την δυνατότητα να εκτελεστούν κάποιες εντολές στο πρώτο Logon. Δεν το έχουμε δοκιμάσει αλλά η προσθήκη του παρακάτω στο Microsoft-Windows-Shell-Setup component του oobeSystem pass πρέπει να αρκεί:

```
1<FirstLogonCommands>
2 <SynchronousCommand>
3 <Order>1</Order>
4 <!-- open a port in the firewall for remote desktop -->
5 <CommandLine>netsh firewall set portopening TCP 3389 "Remote Desktop" enable</CommandLine>
6 </SynchronousCommand>
7 <SynchronousCommand>
8 <Order>2</Order>
9 <!-- turn on remote desktop -->
10 <CommandLine>reg add "HKLM\SYSTEM\ControlSet001\Control\Terminal Server" /f /v fDenyTSConnections /t REG_DWORD /d
0x00000000</CommandLine>
11 </SynchronousCommand>
12</FirstLogonCommands>
```